

## ATTACHING THE DENZ PREMIUM OPTICS TO THE RED COMPACT EVF



Product Management


March 11, 2024 19:33

FOLLOW


To attach the DENZ Premium Optics to the DSMC2 RED EVF or RED COMPACT EVE, follow the steps below:

### 1. Remove the optics.

- To remove the optics, hold the optics block with one hand so it does not fall when released; with the other hand, move the locking wheel counter-clockwise until you feel a hard stop.




- Slowly move the optics away from the EVF until it is clear of the internal cavity. Store the optics in a dust and moisture free environment. If you need to clean the OLED screen before attaching the new optics, a guide can be found below.




## 2. Attaching the new optics.


- To attach the new optics, observe the alignment pin on the EVF optical block and alignment notch on the Denz Optics; both will need to be aligned to securely mount.



- Carefully install the Denz Optics assembly onto the EVF, ensuring both the alignment pin and alignment notch mate correctly.



- Once secured, rotate the locking wheel clockwise until it stops.



3. Ensure the new optics are secure.

- Before letting go of the new optics, ensure it does not come loose or wobble.

## CLEANING THE EVF SCREEN

**NOTE:** This section describes only how to clean the screen on the DSMC2® RED EVF and RED COMPACT EVF, and not how to clean the entire device.

The screen is accessed by removing the DSMC2 RED EVF/ RED COMPACT EVF Modular Optical Block.

Use an ionized rubber air bulb to clean the screen on the EVF. If there are still particles on the screen after using an air bulb, gently wipe the screen with a rolled-up, particulate-free, non-abrasive optical-grade wipe.

**NOTE:** *Cleaning the screen without first removing solid particles increases the risk of scratching the screen. As with many screens, any type of physical contact with the screen may scratch the surface.*

## PROHIBITED EVF SCREEN CLEANERS

DO NOT use any of the items listed below to clean the screen on the DSMC2 RED EVF. These products have not been tested on RED products and may cause damage or streaking.

- Compressed air
- Gas dusters
- Solvents
- Rubbing alcohol
- Isopropyl alcohol
- Windex®
- Third-party cleaning kits
- Pre-packaged lens cleaner containing any additives, such as detergent, anti-static compounds, or fragrance
- RED Microfiber Bag



**WARNING:** *Damage to any screens or other components of the camera system caused by using prohibited cleaners is not covered under warranty.*

## RED EVF MOUNT WING NUT INSTALLATION GUIDE

To attach the RED Compact EVF with Denz Premium Optics to the RED EVF Mount or RED EVF Extension Arm, you must replace the thumb screws with wing nuts; these are included with the Denz Premium Optics for RED Compact EVF. To install, follow the steps below:

## 1. Remove the thumb screw



- Remove the thumb screw located by the EVF attachment wheel, as indicated below.



## 2. Attaching the wing nut

- Attach the included shim over the screw threads and screw in the wing nut into the exposed hole. (NOTE: The wing nut may collide with the locking wheel. Use the ratcheting system of the wing nut to continue to screw in the wing nut or use the included Allen Key tool to tighten

the screw).



o

Was this article helpful?



0 out of 0 found this helpful

Have more questions? [Submit a request](#)



# Comments

0 comments

---

Article is closed for comments.

---

## Articles in this section

[RED Compact EVF Operation Guide](#)

[V-RAPTOR \[X\] UPGRADE FAQ](#)

[RF to PL Adapter w/ Electronic ND - Lens Compatibility](#)

[ATTACHING THE DENZ PREMIUM OPTICS TO THE RED COMPACT EVF](#)

[DSMC3 EVF - FAQs](#)

[V-RAPTOR \[X\] - Extended Highlights](#)

[DSMC3 RED TOUCH 7.0" RIGID HINGE INSTALLATION GUIDE](#)

[Troubleshooting Steps for V-RAPTOR](#)

[RF to PL Adapter w/ Electronic ND - Quick Start Guide](#)

[RF to PL Adapter w/ Electronic ND - Cleaning and Maintenance](#)

[SEE MORE](#)

## Contact RED Support

---

 [Submit a Request](#)

 [RED HQ +1-949-206-7900](#)

 [RED UK +44 20 7150 6760](#)

## Quick Links

---

[RED Service Centers](#)

Transfer of Ownership

RED Extended Warranty

Upgrade Programs

Get Connected

---



Copyright © 2004-2024 RED Digital Cinema, LLC. All rights reserved.