




GABOR®

ACM-10 / ANGLED CEILING MOUNT ADAPTER



User Manual

Safety Warnings

1. When installing this product, be sure to refer to the mounting instructions detailed in this manual; failure to abide by the mounting instructions may void the product's warranty.
2. Do not exceed the maximum weight limit as this can result in serious personal injury or damage to equipment. It is the installer's responsibility to make sure all components attached to the Angled Ceiling Adapter do not exceed 500 pounds (226 kg).
 - The weight capacity of the Gabor Angled Ceiling Mount may be limited to the lowest weight capacity of any component located between the Angled Ceiling Adapter and the supporting structure.
3. Do not use this product for any 1.5 in. NPT mount or extension columns other than what it is intended for; the exact specifications, size parameters, and weight limits are found both on the product box and in the instruction manual.
4. The Gabor Angled Ceiling Adapter is designed to be mounted to a 2 × 4-inch wood joist ceiling covered with 5/8-inch drywall using two 3/8- to 2½-inch lag bolts and 3/8 in. washers (not included).
5. Do not attach to vertical supports such as walls.
6. The 1.5 in. NPT coupler is intended to be used with a 1.5 in. NPT threaded extension column (not included).
7. It is strongly recommended that this product be installed by a qualified professional or installation contractor; Gabor takes no responsibility for any product damage or personal injury resulting from mishandling, incorrect mounting, faulty assembly, or improper use of this product.
8. Do not mount the device on structures that may be affected by vibrations or noticeable impacts; do not install near a heater, fireplace, or any other source of direct heat energy.
9. This product may contain small parts which can possibly pose a choking hazard; keep out of reach of children and pets.
10. Excessive exposure to liquids may damage the finish of this product; when cleaning this product, use only a mild detergent solution, and quickly wipe dry with a soft cloth.
11. All images are for illustrative purposes only.

If you have safety concerns about installing this product, contact a qualified professional or installation contractor.

If this product is missing hardware or there are defective parts, visit www.madebygabor.com or call Customer Service at 212-594-2353.

Thank you for choosing Gabor.

The Gabor Angled Ceiling Mount Adapter is a simple-to-attach 1.5-inch NPT adapter that allows safe installation of universal 1.5-inch NPT extension columns. The durable steel construction supports up to 500 pounds, depending on the support structure, so you can easily hang a TV, monitor, or projector from your ceiling.

Product Specifications

Mount Compatibility


1.5 in. NPT

Max Weight Capacity


500 lb. (226 kg)

Material

Steel



Parts List

A	1X	B	1X	C	1X
					
Mount		5/32 hex wrench		5/16-18 x 3/8 in. setscrew	

Required Tools



3/4 and 9/16 in.
wrenches



Lag bolts



Washers



Drill




1/4 in. wood drill bit


Installation

The Angled Ceiling Mount Adapter allows easy installation in any ceiling height that has 2 x 4-inch wooden joists or larger.


1. Place the mount up to the ceiling location for installation, and mark the two holes for drilling.
2. Drill two pilot holes into the wooden joist, using a 1/4 in. drill bit.




3. Install the mount, using two $\frac{3}{8} \times 2\text{-}1\frac{1}{2}$ in. lag bolts and two $\frac{3}{8}$ in. washers (not included).



4. Loosen the two angle adjustment screws to allow the proper hanging angle for the 1.5 in. NPT coupler, and tighten the two screws to secure it.




5. Install the 1.5 in. NPT threaded extension column (not included) into the mount's 1.5 in. NPT coupler until secure, with a minimum of four threads engaged.
6. Use the setscrew to secure the extension column with the coupler.



Cable Management

Route power and A/V cables down through the mount as shown for a clean installation.

Note: It may be necessary to remove the hex head bolt running through the mount.



One-Year Limited Warranty

This Gabor product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. The inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover damage or defect caused by misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, THE WARRANTY PROVIDER MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights that vary from state to state.

To obtain warranty coverage, contact the Gabor Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Gabor along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

For more information or to arrange service, visit www.madebygabor.com or call Customer Service at 212-594-2353.

Product warranty provided
by the Gradus Group.

www.gradusgroup.com



Gabor is a registered trademark of the Gradus Group.
© 2025 Gradus Group LLC. All Rights Reserved.

GG1