

Pro Audio Solutions

Laptop One-Channel Passive Direct Box



kopul®

LT-PDI2



Thank you for choosing Kopul.


The Kopul Laptop One-Channel Direct Box converts an unbalanced line-level stereo signal from a laptop, tablet, or smartphone to a balanced, mic-level mono signal. The audio signal from your device can be output to a mixing console, sound card, or PA system via its XLR connector.

- Converts 3.5 mm line-level signal to XLR mic-level signal
- 3.5 mm TRS input connector
- XLR output connector
- Ground-lift switch eliminates hum
- Mute switch

Instructions

Plug the 3.5 mm cable into any device that has a 3.5 mm output such as a laptop, tablet, or smartphone.

Plug the XLR end of the LT-PDI2 directly into the mic input of a mixing board, sound card, or PA system. For longer cable runs when the 4.7-foot cable isn't long enough, use an XLR cable.



Note: To use devices with USB-C or Lightning connectors, a USB-C/Lightning to 1/8 in. TRS female adapter (not included) is needed.

Volume Knob

Use the volume knob to adjust the strength of your output signal. To avoid distortion and ensure your signal doesn't clip, check the input volume meters on your mixing board or DAW.

Ground/Lift Switch

For normal operation, set the Ground/Lift switch to the Ground position.

To eliminate hum or buzz caused by a ground loop, set the switch to the Lift position.

Mute Switch

For normal operation, make sure the mute switch is inactive (up position).

To mute the audio, press the mute switch. To unmute, press the mute switch again so it's in the up position.

Precautions

- Please read and follow these instructions, and keep this manual in a safe place.
- Make sure that this product is intact and that there are no missing parts.
- Keep this unit away from water and any flammable gases or liquids.
- Clean this product with only a soft, dry cloth.
- All images are for illustrative purposes only.

Specifications

Type	Passive
Connectors	3-pin XLR male 1/8 in. (3.5 mm) TRS male
Frequency Range	50 Hz to 20 kHz (± 0.5 dB)
THD	0.02% @ 1 kHz, 0 dB
Output Level	-20 to 0 dB
Dielectric Strength	500 V DC / 1 mA / 1 sec.
Input	Stereo
Output	Balanced mono
Controls	Volume, ground switch, mute switch
Dimensions	4.4 x 1.25 x 1 in. (11.2 x 3.2 x 2.5 cm)
Weight	5 oz. (142 g)
Cable Length	4.7 ft. (1.4 m)
Material	Aluminum alloy
Color	Black

One-Year Limited Warranty

This Kopul product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. Inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover damage or defect caused by misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, THE WARRANTY PROVIDER MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights that vary from state to state.

To obtain warranty coverage, contact the Kopul Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Kopul along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

For more information or to arrange service, visit www.kopulcables.com or call Customer Service at 212-594-2353.

GG1



KOPUL®
A Gradus Group Brand

www.kopulcables.com
© 2025 Gradus Group