


YI LITE ACTION CAMERA



Size: 65mm x 30mm x 42mm

Weight: 72 g (camera + battery)


Lens

150° ultra wide angle glass lens / F2.8 Aperture, 6 layer, 6G1AS



LCD Screen

2.0" LCD



Main Processor

Hisilicon Hi3556V100

HISILICON
Hi3556V100
Chipset

Image Sensor

16MP Sony Exmor R CMOS BSI

SONY
Exmor R CMOS
BSI
16MP

ROM/RAM

1Gb + 4Gb

Digital Memory Format

Flash Memory

Video Mode

Video Resolution	Frames Per Second (fps)	Field of View (FOV)	Screen Resolution
4K	20	Wide	3840x2160
1440	30	Wide	1920x1440
1080	30/60	Wide	1920x1080
720	30/60/120	Wide	1280x720
Video Format	H.264, .mp4 file format		
Time Lapse Video	Capture a series of photos at timed intervals. Resolution: 4K(16:9)/1920x1440(4:3)/1920x1080(16:9) ; fps 30/25 Interval: 0.5s/1s/2s/5s/10s/30s/60s		
Slow Motion	Rate: x2,x4,x8		
Video + Photo	Record video and capture Time Lapse photos at the same time.		

1440P (1920x1440) 30, 25fps, 1080P (1920x1080) 30, 25fps

Interval: 5s,10s,30s,60s

Advanced Technology

Electronic Image Stabilization

Resolutions supported: 1440P 30fps;1080P 30fps;1080P 60fps;720P 30fps;720P 60fps

Photo Mode

Photo Resolution	Field of View (FOV)	Screen Resolution
16MP	Wide	4068x3456
10MP	Wide	3648x2736
Timer	Count down, then photo capture. Interval: 3s,5s,10s,15s	
Burst	Press the shutter button to capture a series of photos. Photo Size: 16MP(4068x3456),10MP(3648x2736) Interval: 3P/s,5P/s,10P/s,10P/2s,10P/3s,20P/2s,30P/3s,30P/6s	
Time Lapse Photo	Capture a series of photos at timed intervals. 16MP(4068x3456),10MP(3648x2736) 0.5s, 1s, 2s, 5s, 10s, 30s, 60s, 2min, 5min, 10min, 30min,	

60min


Self-defined IQ parameters

WB (White Balance)	Users can adjust the white balance settings to change the overall color of the video or photo. Auto, Native, Tungsten, DayLight, Cloudy
Shutter	Auto, 2s, 5s, 10s, 15s, 20s, 30s
ISO (Level of sensitivity)	Auto,100,200,400,800,1600
Metering Mode	Center, Spot, Average
Sharpness	High, Medium, Low
EV	2.0,1.5,1.0,0.5,0,-0.5,-1.0,-1.5,-2.0

WiFi & Bluetooth

Broadcom 43455, download speed 50Mb/s

Bluetooth Broadcom 43455, bluetooth BLE 4.1



USB Type

Micro USB

Storage

Micro SD Card Class 10 & above

16GB-64GB FAT32

Battery

Battery Life (LCD ON + WIFI ON)

4K (3840x2160)	15fps	130min
----------------	-------	--------

1440p (1920x1440)	30fps	130min
-------------------	-------	--------

1080p (1920x1080)	60fps	130min
-------------------	-------	--------



(<https://www.facebook.com/YITechnologyOfficial>) (<https://www.youtube.com/channel/UCIrTFKMVjT82cz85Nekg-OQ>) (<https://www.instagram.com/yitechnology/>) (<https://www.twitter.com/yitechnology>) (<http://www.iqiyi.com/u/1174343764>)

GENERAL

[About Us \(/aboutus/index\)](/aboutus/index)

[Contact Us \(/contactus/index\)](/contactus/index)

[Join Us \(/join/index\)](/join/index)

NEWSROOM

[Media Coverage \(/media/index\)](/media/index)

[YI News \(/news/index\)](/news/index)

WHERE TO BUY

Online Shop (<https://store.yitechnology.com/>)

Become a Distributor (</dealer/index>)

DEVELOPER

YI Open

(<http://open.yitechnology.com/index.html>)

SUPPORT

Products Support (<https://help.yitechnology.com/hc/en-us>)

Forum (<http://forum.xiaoyi.com>)

Legal Terms (</legal/terms-of-use>)

Copyright ©2017 YI Technology. All Rights Reserved. [Terms of Use \(/legal/terms-of-use\)](/legal/terms-of-use) | [Privacy Policy \(/legal/privacy-policy\)](/legal/privacy-policy)