

MC-POD

DYNAMIC PODCAST / BROADCAST MICROPHONE



PRODUCT
MANUAL



POLSEN®

THANK YOU FOR CHOOSING POLSEN.

The Polsen MC-POD is an ideal microphone for podcasts, voiceovers, and broadcasts, whether you're recording at home or in a studio.

This microphone's features are tailored for the voice, right down to the end-address design that lets you get close to the mic for a warm and rich vocal sound. A wide frequency response assures that all the character and nuance of your voice is captured in accurate detail. For pristine audio, an internal shock mount isolates the mic from handling noise and vibrations, and the built-in pop filter protects against unwanted vocal plosives. The cardioid polar pattern focuses the microphone on the sound in front of it while it rejects unwanted off-axis noise. The integrated mount is compatible with most microphone stands and mic boom arms, and it allows you to adjust the microphone to the perfect angle for your setup.

PRECAUTIONS

- Please read and follow these instructions, and keep this manual in a safe place.
- Keep this product away from water and all flammable gases or liquids.
- Do not attempt to disassemble or repair this product yourself.
- Handle this product with care.
- Clean this product with only a soft, dry cloth.
- Make sure that this product is intact and that there are no missing parts.
- All images are for illustrative purposes only.

USER INSTRUCTIONS

1. Mount the MC-POD to a mic stand or boom arm with a 5/8-27 threaded stud.
2. Connect a 3-pin XLR cable to the microphone and to a recorder or mixing console.

Important! Do not turn on the 48 V phantom power on the recorder or console.

3. Adjust the microphone to the desired angle, and tighten the two locking knobs.

SPECIFICATIONS

Sound Field Mono

Capsule Dynamic

Polar Pattern Cardioid

Frequency Response 20 Hz to 20 kHz

Sensitivity -57 dB $\pm$ 3 dB

Impedance 320 Ω


Orientation End address

Connector 3-pin XLR male


Dimensions Diameter: 1.7 in. (4.4 cm)
Length: 5.7 in. (14.4 cm)

Weight 1 lb. (453.6 g)

FREQUENCY RESPONSE



CARDIOID POLAR PATTERN



ONE-YEAR LIMITED WARRANTY

This Polsen product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. Inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover damage or defect caused by misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, THE WARRANTY PROVIDER MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights that vary from state to state.

To obtain warranty coverage, contact the Polsen Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Polsen along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

For more information or to arrange service, visit www.polsenaudio.com or call Customer Service at 212-594-2353.

Product warranty provided by the Gradus Group.
www.gradusgroup.com

Polsen is a registered trademark of the Gradus Group.
© 2020 Gradus Group LLC. All Rights Reserved. GG2

