



Oben®

TTVLK-8

Tripod Vlogging Kit with 8 in. Ring Light



You're on steady ground®

Thank you for choosing Oben.

The Oben TTVLK Tripod Vlogging Kit features a desktop tripod, accessory arm, USB-powered LED ring light, and a smartphone clamp. It puts the tools you need to set up a vlog or video meeting anywhere.


Warnings



Warnings:

- *Please read and follow these instructions, and keep this manual in a safe place.*
- *Keep this unit away from water and any flammable gases or liquids.*
- *Do not stare directly at the lights when they are powered on.*
- *Clean the unit with a soft, dry cloth.*
- *Keep this unit away from children.*
- *Make sure the item is intact and that there are no missing parts.*
- *All images are for illustrative purposes only.*

OVERVIEW




Ring Light

(A) LED array

(C) 1/4-20 mounting socket

(B) USB cable


Connect to a computer
or USB plug adapter.



Ballhead

- | | |
|--|---|
| <p>(D) 1/4-20 screw
Attach to smartphone adapter.</p> | <p>(G) 1/4-20 accessory socket
Attach the accessory arm.</p> |
| <p>(E) Locking knob
Loosen to adjust the angle. Tighten to secure.</p> | <p>(H) 1/4-20 socket
Screw onto the tabletop tripod.</p> |
| <p>(F) 90° notch
Switch from horizontal to vertical camera orientation.</p> | |

OVERVIEW



Accessory Arm


I 1/4-20 screw

J Thumbscrews

K 1/4-20 locking nut

Attach to the tripod accessory socket.

Important! For secure support of the ring light, make sure the accessory arm is positioned directly over one of the legs.



Tripod



1/4-20 screw


Attach the ballhead.



Leg release button

Press to spread the legs to the maximum base. Close the legs to use the tripod as a handheld grip.

Important! Set the tripod to its widest base when the ring light is attached.



Controller

(N)

Color temperature

Select cool, warm, or neutral color temperature settings.

(P)


Brightness

Press repeatedly to increase or decrease the 10-step brightness.

(O)

Power button

Press to turn the light on or off.



Smartphone Adapter

Q

Smartphone clamp

Fits phones 2.4 to 3.5 inches wide.

R

1/4-20 sockets

Attach to the ballhead.

Specifications

Input	5 V
Power Connector	USB Standard-A
Color Temperature	3 step (cool, warm, neutral)
Brightness	10 step
Smartphone Compatibility	2.4 to 3.5 in. (6.1 to 8.9 cm)
Cable Length	6.3 ft. (2 m)
Dimensions	Height: 3.9 in. (9.9 cm) min 6.9 in. (17.5 cm) max Ring Light Diameter: 8 in. (20.3 cm) Depth: 1 in. (2.5 cm) Accessory Arm Length: 10.5 in. (26.7 cm) Ballhead Height: 2.1 in. (5.3 cm)
Load Capacity	2.2 lb. (1 kg)



www.obensupports.com

Oben is a registered trademark of the Gradus Group.
© 2021 Gradus Group LLC. All Rights Reserved.