



MBM-1000
Magnetic
Background Mount
INSTRUCTIONS

Introduction

Thank you for choosing Impact.

The Magnetic Background Mount system lets you use multiple background sizes on a configurable mount setup. Strong rare-earth magnets securely hold your backgrounds to the mounted wall plates. When you need to change your background to a different color, scene, or size, just pull the magnets off and switch. Configure the eight included metal plates on the wall so you can accommodate various sized backgrounds during your shoot.

Precautions ⚠


- Securely mount the plate to the wall before use.
- Make sure that this product is intact and that there are no missing parts.
- All images are for illustrative purposes only.

Specifications

Plate Dimensions	5.9 × 5.9 in. (150 × 150 mm)
Weight	Magnet: 3.7 oz. (104 g) Plate: 12.2 oz. (346 g)

Overview

1. Mounting Plate (×8)
2. Magnet (×4)
3. Phillips Screw (×32)
4. Wall Anchors (×32)




Tools Needed

- Phillips Screwdriver
- Hammer
- Power Drill
- Wood Drill Bit

Setup

Positioning the Wall Plates

Configure the wall plates so you can easily switch between various background widths like 5, 7, and 9 ft., all on the same wall. The image below is an example of a configuration, but you should set up the wall plates to best fit your needs.





Attaching the Wall Plates

1. Use the wall plate to mark the position of the mounting holes on the wall.
2. Drill holes in the marked locations. Make appropriately sized holes for the wall anchors. Tap the anchors into the holes.
3. Put the plate against the wall, and insert the screws through the holes. Screw them in until they're fully tightened, and the plate is secured.

Note: When screwing the plate directly into a wall stud, make sure at least two screws are attached to the stud.

4. Repeat for the other plates.



Hanging the Background

Use the magnets to attach your background to the wall plates. Use one magnet per plate.



One-Year Limited Warranty

This Impact product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. Inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover damage or defect caused by misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, THE WARRANTY PROVIDER MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights that vary from state to state.

To obtain warranty coverage, contact the Impact Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Impact along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

For more information or to arrange service, visit www.impactstudiolighting.com or call Customer Service at 212-594-2353.

Product warranty provided by the Gradus Group.

www.gradusgroup.com

Impact is a registered trademark of the Gradus Group.
© 2022 Gradus Group LLC. All Rights Reserved.

